


# Tubes & Desiccant Stoppers



- Ideal for effervescent tablets and diagnostic test strips
- Tamper Evident
- Tight Seal
- Offset printing with up to 6 color graphics
- Spiral Stoppers
- Flip Top Stoppers
- Desiccant fills - various types




Tube ref	Varnished	Internal Diameter mm	External Diameter mm	Height	Compatible Stoppers ref#	Pieces Per Carton
----------	-----------	----------------------	----------------------	--------	--------------------------	-------------------

## Regular Tubes (non-tamper evident)


L010		13.4	15.8	98	A177	1,500
L090	✓	17	19.40	56.5	A192	2,400
L041	✓	21.1	23.5	100	A012, A013	1,000
L022	✓	24.1	26.7	101	A103, A189, A017	750
L089	✓	24.05	26.45	48		1,600
L103	✓	24.05	26.45	59.5		1,200
L083	✓	24.1	26.5	64.1		1,200
L001	✓	24.05	26.45	69		1,150
L023	✓	24.05	26.45	81		900
L102	✓	24.05	26.45	90		800
L061	✓	24.1	26.45	87.1		900
L075	✓	26.1	28.5	70.3	A096	1,000
L017	✓	29	31.2	45	A030	1,400
L018	✓	29	31.2	55.2		1,100
L091	✓	29.4	31.8	63.3		900
L062	✓	29.4	31.8	81.2		650
L097	✓	33.9	36.50	60	A038	600
L063	✓	34	36.4	70.3		570
L098	✓	33.9	36.50	120		300

\* Drawings not to scale



Tube ref	Varnished	Internal Diameter mm	External Diameter mm	Height	Compatible Stoppers ref#	PCS Per Carton
<b>Tamper Evident Tubes</b>						
L093		24	28.2	83.4	A203, A221	800
L096		24	28.2	113		600
200012494		27	31.5	85	A208, A201,	500
200013658		27	31.5	91	200012687, 13540	480
200012681		27	31.2	98		448
L095		26.6	31.1	138.4		450
200012746		27	31.5	143.5		256

# Tubes & Desiccant Stoppers (continued)



Tube ref	Spiral	Tightening Diameter mm	External Diameter mm	Height (mm)	Desiccant Weight grams	Compatible Tubes	PCS Per Carton
<b>Regular Stoppers (non-tamper evident)</b>							
A177		13.55	17	13	0.57	L010	12,000
A192		17.68	21.80	16	1.45	L090	6,000
A229		20.5	24.80	12.5	1.4		4,500
A012		22.1	26.7	12.5	1.65	L041	5,000
A013		22.1	24.2	14.5	1.2		5,000
A189		24.8	32.20	13.5	2	L089, L103, L083, L001, L023, L102, L061, L022, L092, L071	3,000
A103		25.1	28.90	12.5	2.25		4,000
A017	√	25.15	28.9	33.5	2.1		2,400
A096		26.5	29.7	12.5	2.35	L106, L075	7,000
A030		30.6	35.4	14.5	4	L017, L018, L091, L062	2,400
A038		34.7	37.4	16	2.35	L097, L063, L066, L098	1,800
<b>Tamper Evident Stoppers</b>							
A203	√	24.9	32	37.4	2.1	L093, L096	2,000
A221		24.9	32	18.7	2.1		2,700
A208		27.4	34.60	18.6	2.2	200012494, 200013658,	2,000
A201	√	27.7	34.40	33	2.1	200012681, L095, 200012746	1,500
200012687	√	27.5		31	1.85		1,500
200013540		27.5		18.3	2.4		2,200

\* Tubes & Desiccant Stoppers should be validated to meet specific requirements.